

# Outdoor Cabinet PODS V<sub>3</sub> Overview

### 1-MS0034G -PODS V3

- Single skin Construction in Aluminium
- 23" Mounting Bracket (19" adaptor option available)
- Two Basic Sizes
  - 1500mm (Internal space 30RU)
  - 2000mm (Internal space 40RU)
- Three(3) Cooling Options
  - Direct Fan Cooling (DFC), IP54
  - Heat Exchanger (HEX), IP55
  - Aircon(ACU), IP55
- Three(3) Cable entry Options
  - Top Cable Entry
  - Bottom Cable Entry
  - Top + Bottom Cable Entry
- Batt Shelf Option
  - Adj. height per 1RU
  - W540 x D560mm is the limit
- Accessory Kits (DC light, heater etc)
- AC input options (Screw Terminals, Surge Protection, MCB, Socket etc)







## 1-MS0034G - PODS V3 with Top DFC



PODS V3 Top DFC Power or Battery Cabinet

- Two Basic Types with Top DFC
  - PODS 1500 V3 TOP DFC;BASIC CABINET
  - PODS 2000 V3 TOP DFC;BASIC CABINET
- Max. Cooling capacity 2300W



## 1-MS0034G - PODS V3 Door Mount HEX



- Two Basic Types with Door Mounted HEX
  - PODS 1500 V3 55W/K HEX;BASIC CABINET
  - PODS 2000 V3 200W/K HEX;BASIC CABINET

PODS V3 Door Mounted HEX Power Cabinet only



#### 1-MS0034G - PODS V3 Door Mount ACU



PODS V3 Door Mounted ACU Power or Battery Cabinet

- 5 Basic Types with Door Mounted ACU
  - PODS 1500 V3 1000w AC ACU ;BASIC CABINET
  - PODS 1500 V3 1500w AC ACU ;BASIC CABINET
  - PODS 2000 V3 1000w AC ACU ;BASIC CABINET;
  - PODS 2000 V3 1500w AC ACU;BASIC CABINET;
  - PODS 2000 V3 1500w DC ACU ;BASIC CABINET;
- ACU with optional Top DFC

